

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Isocera (REF 52705)**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Manufacturing of dental prosthesis in a dental laboratory

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**BEGO Bremer Goldschlägerei
Wilh. Herbst GmbH & Co. KG
Wilhelm-Herbst-Str. 1
28359 Bremen

Telephone no. +49/ 421/ 2028 – 0

Fax no. +49/ 421/ 2028 – 115

e-mail msds@bego.com

Information provided by / telephone

Research & Development Department - Materials, alloys and ceramics; +49/ 421/ 2028 – 130 (Chief Development Officer alloys)

Advice on Safety Data Sheet

msds@bego.com

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Acute Tox. 4; H302

Aquatic Chronic 3; H412

Eye Dam. 1; H318

Flam. Liq. 3; H226

Skin Sens. 1; H317

STOT SE 3; H336

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS05



GHS07

Signal word

Danger

Hazardous component(s) to be indicated on label:

Alcohols, C9-11, ethoxylated

propan-1-ol

Oils, anise

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

Hazard statement(s)

H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P273 Avoid release to the environment.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3 Other hazards

PBT assessment
 No data available.
 vPvB assessment
 No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Alcohols, C9-11, ethoxylated			
	68439-46-3 - -	Acute Tox. 4; H302 Eye Dam. 1; H318	> 50.00 - < 70.00	%-b.w.
2	propan-1-ol			
	71-23-8 200-746-9 603-003-00-0 -	Eye Dam. 1; H318 Flam. Liq. 2; H225 STOT SE 3; H336	> 30.00 - < 50.00	%-b.w.
3	Oils, anise			
	8007-70-3 - -	Aquatic Chronic 2; H411 Skin Sens. 1; H317	> 5.00 - < 10.00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

After skin contact

Wash off immediately with soap and water. Don't use solvents.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide; Extinguishing powder; Water spray jet; Alcohol-resistant foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Formaldehyde

5.3 Advice for firefighters

Suppress gases/vapours/mists with water spray jet. Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away sources of ignition. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Pick up rest with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Provide eye wash fountain in work area. Have emergency shower available.

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

Advice on protection against fire and explosion

Take precautionary measures against static charges. When heating the product, explosive vapour-air mixtures can be formed. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Keep only in the original container. Containers which are opened must be carefully closed and kept upright to prevent leakage.

Advice on storage assembly

Do not store together with: oxidizing substances; explosive substances; spontaneously combusting substances; flammable toxic substances; Peroxides; ammonium nitrate; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	propan-1-ol	71-23-8	200-746-9
List of approved workplace exposure limits (WELs) / EH40			
Propan-1-ol			
	WEL short-term (15 min reference period)	625	mg/m ³ 250 ppm
	WEL long-term (8-hr TWA reference period)	500	mg/m ³ 200 ppm
	Comments	Sk	

8.2 Exposure controls**Appropriate engineering controls**

No data available.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour			
liquid			
colourless			
Odour			
of anise			
Odour threshold			
No data available			
pH value			
Value	7.9		
Concentration	100	%	
Boiling point / boiling range			
Value	100	°C	
Reference pressure	101.3	kPa	
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point			
Value	26	°C	
Auto-ignition temperature			
No data available			
Oxidising properties			
No data available			
Explosive properties			
No data available			
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits			
No data available			
Upper flammability or explosive limits			
No data available			
Vapour pressure			
Value	<	1.33	hPa
Reference temperature		20	°C
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
No data available			
Density			
Value	0.899	g/cm ³	
Solubility in water			
Comments	Completely miscible		

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

Solubility(ies)			
No data available			
Miscible with			
soluble in most organic solvents			
Partition coefficient: n-octanol/water			
No data available			
Viscosity			
Value	2.4	mPa*s	
Reference temperature	20	°C	
Type	dynamic		
Value	2.7	mm ² /s	
Reference temperature	20	°C	
Type	kinematic		

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, if handled according to order.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from sun.

10.5 Incompatible materials

Earth alkali metals; Alkali metals; Alcohols; strong oxidizing agents; Peroxides

10.6 Hazardous decomposition products

In case of fire the following can be released: Formaldehyde

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity (result of the ATE calculation for the mixture)			
No	Product Name	CAS no.	EC no.
1	Isocera (REF 52705)		
ATE (Mixture)		1923.08	
Method		Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.	
Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C9-11, ethoxylated	68439-46-3	-
LD50	1000	- 1400	mg/kg bodyweight
Species	rat		

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C9-11, ethoxylated	68439-46-3	-
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
2	propan-1-ol	71-23-8	200-746-9
LD50		4032	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	propan-1-ol	71-23-8	200-746-9
LC50	>	33.8	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Alcohols, C9-11, ethoxylated	68439-46-3	-
Species	rabbit		
Evaluation	irritant		
2	propan-1-ol	71-23-8	200-746-9
Duration of exposure		20	h
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Alcohols, C9-11, ethoxylated	68439-46-3	-
Species	rabbit		
Evaluation	corrosive		
2	propan-1-ol	71-23-8	200-746-9
Duration of exposure		72	h
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	strongly irritant		

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

Respiratory or skin sensitisation			
No data available			
Germ cell mutagenicity			
No data available			
Reproduction toxicity			
No data available			
Carcinogenicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	propan-1-ol	71-23-8	200-746-9
Route of exposure		inhalational	
NOAEC		8000	mg/m ³
Species		rat	
Method		OECD 413	
Source		ECHA	
Aspiration hazard			
No data available			
Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. Inhalation of vapours may lead to headache, drowsiness and dizziness. Possibility of sensitisation through skin contact. Danger of acute eye damage. Harmful if swallowed. Inhalation of vapours in higher concentration may lead to irritation of eyes, nose and respiratory tract.			

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Alcohols, C9-11, ethoxylated	68439-46-3	-
LC50		> 10	- 100
Duration of exposure			96 h
Species		Oncorhynchus mykiss	
Method		semistatic	
2	propan-1-ol	71-23-8	200-746-9
LC50		4555	mg/l
Duration of exposure		96	h
Species		Pimephales promelas	
Method		OECD 203	
Source		ECHA	

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	Alcohols, C9-11, ethoxylated	68439-46-3	-
EC50		5	25 mg/l
Duration of exposure			48 h
Species	Daphnia magna		
2	propan-1-ol	71-23-8	200-746-9
EC50			3644 mg/l
Duration of exposure			48 h
Species	Daphnia magna		
Method	DIN 38412		
Source	ECHA		

Toxicity to Daphnia (chronic)	
No data available	

Toxicity to algae (acute)	
No data available	

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Alcohols, C9-11, ethoxylated	68439-46-3	-
Type	DOC decrease		
Value		94	%
Method	OECD 301 E		
2	propan-1-ol	71-23-8	200-746-9
Value	83	92	%
Duration		28	d
Method	OECD 301 F		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge into the drains or waters and do not store on public depositories.

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	3
Classification code	F1
Packing group	III
Hazard identification no.	30
UN number	UN1274
Proper shipping name	n-PROPANOL solution
Tunnel restriction code	D/E
Label	3

14.2 Transport IMDG

Class	3
Packing group	III
UN number	UN1274
Proper shipping name	n-PROPANOL Solution
EmS	F-E, S-D
Label	3

14.3 Transport ICAO-TI / IATA

Class	3
Packing group	III
UN number	UN1274
Proper shipping name	n-Propanol Solution
Label	3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Trade name: Isocera (REF 52705)

Current version : 3.1.0, issued: 10.04.2019

Replaced version: 3.0.5, issued: 11.04.2016

Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3, 40
---	----------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:	P5c
--	-----

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225 Highly flammable liquid and vapour.

H411 Toxic to aquatic life with long lasting effects.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 621332