# SCAN' SPRAY BLACK & WHITE



## **SAFETY DATA SHEET**

according to Regulation (EU) 2015/830

ISSUE DATE: 06.05.2019 REVISION DATE: 06.05.2019

VERSION: 1.0

# 1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade name Scan' spray black & white

 Product code
 500990

 SDS Number
 1471

Product use Coating material for the optical impression or for medical use

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial/Professional use spec For professional use only

Use of the substance/mixture Auxiliary for manufacture of dental prothesis

**Uses advised against**No additional information available.

## 1.3. Details of the supplier of the safety data sheet

Dentaco GmbH & Co.KG Max-Keith-Str. 46 45136 Essen Deutschland

Tel.: + 49 ( 0) 201/ 8098290 Fax: + 49 (0) 201/ 80982999

Internet: www.dentaco.de; info@dentaco.de

E-Mail: HSE@rle.de

## 1.4. Emergency telephone number

+ 49 (0) 201/8098290 (Mo. - Fr. 09:00 - 17:00)

## 2. SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Physical hazards Aerosol, Category 3 H229 Pressurised container: May burst if heated.

Pressurised container: May burst if heated

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Signal word Warning

**Hazard statements** 

H229 Pressurised container: May burst if heated.

**Precautionary statements** 

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P251 Do not pierce or burn, even after use.

Storage

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C

#### 2.3. Other hazards

No additional information available.

# 3. SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
1,1,1,2,3,3,3- heptafluoropropane	431-89-0 207-079-2 01-2119485489-18- XXXX	90 - < 100	Press. Gas (Comp.), H280	

Full text of H-statements: see section 16

#### 4. SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

**Inhalation** Remove person to fresh air and keep comfortable for breathing.

Skin contact:Wash skin with plenty of water.Eyes contactRinse eyes with water as a precaution.

Ingestion Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: None known.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# 5. SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing mediaWater spray. Dry powder.Unsuitable extinguishing mediaDo not use water jet.

# 5.2. Special hazards arising from the substance or mixture

**Explosion hazard** Pressurised container: May burst if heated. **Hazardous combustion products** Carbon monoxide. Carbon dioxide. Nitrogen oxides.

# 5.3. Advice for firefighters

Precautionary measures fire Evacuate area. In case of fire and/or explosion do not breathe fumes. Do not

dispose of fire-fighting water in the environment.

Firefighting instructions In case of fire and/or explosion do not breathe fumes. On heating, there is a risk

of bursting due to internal pressure build-up. Cool down the containers exposed

to heat with a water spray.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus. Complete protective clothing.

## 6. SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures Keep unnecessary personnel away.

For non-emergency personnel

**Protective equipment**Use personal protective equipment as required.

Emergency procedures Avoid breathing dust, mist or spray. No flames, no sparks. Eliminate all sources

of ignition. Provide adequate ventilation. Ventilate spillage area.

For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

**6.2. Environmental precautions** Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams.

Methods for cleaning up

Move containers from fire area if it can be done without personal risk.

Other information Dispose of materials or solid residues at an authorized site.

**6.4. Reference to other sections** For further information refer to section 13.

# 7. SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Additional hazards when processed Do not breathe vapours. Ensure adequate air ventilation. Observe good

industrial hygiene practices.

Precautions for safe handling Ensure good ventilation of the work station. Wear personal protective equipment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not pierce or burn, even after use.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures**Keep in a cool, well-ventilated place away from heat. Contents under pressure. **Storage conditions**Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Store in a well-ventilated place. Keep cool.

Packaging materials Keep only in the original container in a cool, well-ventilated place away from

combustible materials.

7.3. Specific end use(s) For medical use.

# 8. SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Contains no substances with occupational exposure limits.

**DNEL: Derived no effect level** 

No data available

Components	Туре	Route	Value	Form
1,1,1,2,3,3,3-	Worker	Inhalation	61279 mg/m³	Long-term - systemic effects
heptafluoropropane (431-89-		Inhalation	•	• ,
0)	Consumer	mnaiation	6533 mg/m³	Long-term - systemic effects
PNEC: Predicted no effect of	concentration			
No data available				
Components	Туре	Route	Value	Form
1,1,1,2,3,3,3-	Not applicable	Freshwater	0.1 mg/l	

heptafluoropropane (431-89- Freshwater 1 mg/l Intermittent release

sediment 1.3 mg/kg dwt Freshwater

STP 1.73 mg/l

8.2. Exposure controls

Appropriate engineering controls Ensure good ventilation of the work station

Materials for protective clothing

No additional information available.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection

Chemical goggles or safety glasses

Skin protection

Hand protection

The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the

recommended glove

Material Permeation Thickness (mm) Comments Butyl rubber 6 (> 480 minutes) 0.6 **EN ISO 374** Viton 6 (> 480 minutes) 0,6 **EN ISO 374** No additional information available. Other protective measures No respiratory protection needed under normal use conditions. Respiratory protection

Skin and body protectionWear suitable protective clothingThermal hazard protectionNo additional information available.Environmental exposure controlsAvoid release to the environment.

# 9. SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Aerosol. Colour Grey. Odour Characteristic. **Odour threshold** No data available рΗ No data available No data available Relative evaporation rate (butylacetate=1) **Melting point** No data available Freezing point No data available **Boiling point** -16 - -18 °C No data available Flash point Auto-ignition temperature No data available **Decomposition temperature** No data available Flammability (solid, gas) No data available Vapour pressure 4000 - 4500 hPa 20°C No data available Relative vapour density at 20 °C Relative density No data available Density 1.4 g/cm<sup>3</sup> Solubility No data available Log Pow No data available Viscosity, kinematic No data available

**Explosive properties** Pressurised container: May burst if heated.

Oxidising properties No data available Explosive limits No data available

#### 9.2. Other information

Viscosity, dynamic

No additional information available.

No data available

# 10. SECTION 10: Stability and reactivity

**10.1. Reactivity** Pressurised container: May burst if heated.

**10.2.** Chemical stability Stable under normal conditions.

**10.3.** Possibility of hazardous reactions No dangerous reactions known under normal conditions of use.

**10.4.** Conditions to avoid Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all

sources of ignition.

**10.5.** Incompatible materials No additional information available.

should not be produced.

# 11. SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

**Substance** 

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks	
1,1,1,2,3,3,3- heptafluoropropane (431-89-0)	(OECD 403 method)	LC50	Inhalation	> 788696	ppm/4h	rat		
Skin corrosion/irritation	on	Based on available data, the classification criteria are not met.						
Serious eye damage/ii	ritation		Based on available	data, the cl	assification	criteria are n	ot met.	
Respiratory or skin se	nsitisation		Based on available	data, the cl	assification	criteria are n	ot met.	
Germ cell mutagenicit	у		Based on available	data, the cl	assification	criteria are n	ot met	
Carcinogenicity			Based on available	data, the cl	assification	criteria are n	ot met	
Reproductive toxicity			Based on available	data, the cl	assification	criteria are n	ot met	
STOT-single exposure	)		Based on available	data, the cl	assification	criteria are n	ot met	
STOT-repeated expos	ure		Based on available	data, the cl	assification	criteria are n	ot met	
Aspiration hazard			Based on available	data, the cl	assification	criteria are n	ot met	

Francisco variata Valua

# 12. SECTION 12: Ecological information

# 12.1. Toxicity

Ecology - general The product is not classified as environmentally hazardous. However, this does

not exclude the possibility that large or frequent spills can have a harmful or

C---!--

damaging effect on the environment.

Acute aquatic toxicity

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
1,1,1,2,3,3,3-	Fish	Danio rerio	LC50	> 200 mg/l	96h	(OECD 203 method)
heptafluoropropane (431-89-0)	crustacea	Daphnia magna	EC50	> 200 mg/l	48h	(OECD 202 method)
	algae	algae	EC50	> 114 mg/l	72h	(OECD 201 method)

# 12.2. Persistence and degradability

# 1,1,1,2,3,3,3-heptafluoropropane (431-89-0)

Biodegradation 1 % OECD 301 D

# 12.3. Bioaccumulative potential

## 1,1,1,2,3,3,3-heptafluoropropane (431-89-0)

Log Pow	2.289

## 12.4. Mobility in soil

No additional information available.

## 12.5. Results of PBT and vPvB assessment

## Component

1,1,1,2,3,3,3-heptafluoropropane (431-89-0) This substance/mixture does not meet the PBT criteria of REACH regulation,

annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation,

annex XIII.

#### 12.6. Other adverse effects

No additional information available.

#### 13. **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods Disposal must be done according to official regulations. Empty containers should

be taken for recycling, recovery or waste in accordance with local regulation.

This material and its container must be disposed of in a safe manner.

Product/Packaging disposal

recommendations

Dispose in a safe manner in accordance with local/national regulations. Do not pierce or burn, even after use. Empty containers should be taken to an approved waste handling site for recycling or disposal. Disposal must be done according to

official regulations.

European List of Waste (LoW) code

16 05 05 gases in pressure containers other than those mentioned in

16 05 04

15 01 10\* packaging containing residues of or contaminated by

dangerous substances

#### 14. **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

## 14.1. UN number

UN-No. (ADR)	1950
UN-No. (IMDG)	1950
UN-No. (IATA)	1950
UN-No. (ADN)	1950
UN-No. (RID)	1950

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) **AEROSOLS** Proper Shipping Name (IMDG) **AEROSOLS** 

Proper Shipping Name (IATA) Aerosols, non-flammable

**Proper Shipping Name (ADN) AEROSOLS** Proper Shipping Name (RID) **AEROSOLS** 

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) 2.2 Danger labels (ADR) 2.2 **IMDG** 

Transport hazard class(es) (IMDG) 2.2
Danger labels (IMDG) 2.2

IATA

Transport hazard class(es) (IATA) 2.2
Hazard labels (IATA) 2.2

ADN

Transport hazard class(es) (ADN) 2.2
Danger labels (ADN) 2.2

RID

Transport hazard class(es) (RID) 2.2
Danger labels (RID) 2.2

14.4. Packing group

Packing group (ADR)Not applicablePacking group (IMDG)Not applicablePacking group (IATA)Not applicablePacking group (ADN)Not applicablePacking group (RID)Not applicable

14.5. Environmental hazards

Dangerous for the environmentNoMarine pollutantNo

Other information No supplementary information available.

14.6. Special precautions for user

Overland transport

Classification code (ADR) 5A

**Special provisions (ADR)** 190, 327, 344, 625

Limited quantities (ADR) 11
Packing instructions (ADR) P207
Tunnel restriction code (ADR) E

Transport by sea

**Special provisions (IMDG)** 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) SP277
Packing instructions (IMDG) P207, LP02

 EmS-No. (Fire)
 F-D

 EmS-No. (Spillage)
 S-U

 Stowage category (IMDG)
 None

Air transport

PCA Excepted quantities (IATA) E0
PCA Limited quantities (IATA) Y203
PCA limited quantity max net quantity 30kgG

(IATA)

PCA packing instructions (IATA) 203
PCA max net quantity (IATA) 75kg
CAO packing instructions (IATA) 203
CAO max net quantity (IATA) 150kg

Special provisions (IATA) A98, A145, A167, A802

ERG code (IATA) 2L

Inland waterway transport

Classification code (ADN) 5A

**Special provisions (ADN)** 190, 327, 344, 625

Limited quantities (ADN) 1 L

Rail transport

**Special provisions (RID)** 190, 327, 344, 625

Limited quantities (RID) 1L

Packing instructions (RID) P207, LP200

Hazard identification number (RID) 20

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# 15. SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Other information, restriction and

prohibition regulations

1,1,1,2,3,3,3-Heptafluoropropane (R-227ea), CAS No : 431-89-0 is exempted from the prohibition of mixtures containing fluorinated greenhouse gases in accordance with REGULATION (EU) No 517/2014 as it is used for medical

applications.

Not applicable.

Seveso Information

**National regulations** 

No additional information available.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# 16. SECTION 16: Other information

# Indication of changes

Logo.

## Abbreviations and acronyms

, abbitoriations and acro	,
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand

bw Body weight. calcd. Calculated

CAS Chemical Abstract Service.

CEN European Committee for Standardization

CESIO European Committee on Organic Surfactants and their Intermediates.

COD Chemical oxygen demand

CLP Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification,

labeling and packaging of substances and mixtures.

CMR Carcinogenic, Mutagenic or Reproduction Toxic Substances

CSA Chemical safety assessment
CSR Chemical Safety Report.

DMEL Derived Minimum Effect Level.

DNEL Derived no effect level

EAC European waste catalogue

EC European community

EC50 Effective concentration

EINECS European Inventory of Existing Commercial Chemical Substances.

ELINCS European List of Notified Chemical Substances.

EN European norm.

ERC (Environmental Release category)

EU European Union

GLP Good Laboratory Practice.

GHS Globally Harmonized System of Classification and Labeling of Chemicals.

GW/VL Occupational exposure limit value.

GW-kw/VL-cd Occupational exposure limit value - short term.

GW-M/VL-M Occupational exposure limit value - "Ceiling".

IATA International Air Transport Association

IBC code International Bulk Chemical (Code) (International Code for the Construction and Equipment of

Ships carrying Dangerous Chemicals in Bulk).

ICAO International Civil Aviation Organization

IC50 Inhibition Concentration 50%.

IECSC Inventory of Existing Chemical Substances in China.

IMDG International Maritime Dangerous Goods ISO International Standards Organization.

IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal Concentration 50%.

LCLo Lowest published lethal concentration.

LD50 Lethal Dose 50%.

LOAEL Lowest Observed Adverse Effect Level

LOEC Lowest observable effect concentration.

LOEL Lowest observable effect level.

LQ Limited quantities

TRK-Kzw Threshold limit value - Short-term exposure limit / Technical reference concentration - short-

time value, Austria.

MAK-Mow Maximum allowable workplace concentration – instantaneous value, Austria.

MAK-Tmw, TRK-Tmw Maximum allowable workplace concentration – daily mean value / Technical standard

concentration - daily mean value, Austria.

MAK Threshold limit values Germany.

MARPOL International Convention for the Prevention of Pollution from Ships.

NOAEC No-Observed Adverse Effect Concentration

NOAEL No-Observed Adverse Effect Level
NOEC No-Observed Effect Concentration

NOEL no-observed-effect level

OECD Organisation for Economic Co-operation and Development

OEL Occupational Exposure Limits

PBT Persistent Bioaccumulative Toxic

PC (Chemical product PC (Chemical product category)

category)

PNEC Predicted No-Effect Concentration
POCP Photochemical ozone creation potential.

POP Persistent Organic Pollutants
PPE Personal protective equipment

Process category Process category

REACH Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006

concerning Registration, Evaluation Authorization and Restriction of Chemicals).

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

 SCL
 Specific concentration limit.

 STEL
 Short-term Exposure Limit

 STP
 Sewage treatment plant

SU (Sector of use) SU (Sector of use)

SVHC Substance of Very High Concern.

TLV Threshold Limit Value

TRGS Technical Rules for Hazardous Substances (German Standard).

TWA Time Weighted Average

UVCB Substances of Unknown or Variable composition, Complex reaction products or Biological

materials

VbF Ordinance on Flammable Liquids, Austria

VOC Volatile organic compounds

vPvB Very Persistent and Very Bioaccumulative

WEL-TWA Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted

average)reference period).

WEL-STEL Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND

OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006...

## Full text of H- and EUH-statements

Aerosol 3 Aerosol, Category 3.

Press. Gas (Comp.) Gases under pressure : Compressed gas.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008

[CLP]

Aerosol 3 H229

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.